



COMFORTABLE FEELING

FLEXY

DESCRIPTION

- Approximate weight KG 3.8
- High density Neoprene of 2.5 mm coated by abrasion resistant Polyester
- Telescopic torso
- High resistance reinforcement in Cordura 1100
- Wide range of sizes and colours and on size
- Internal hand-made sealing with Aquasure glue
- Metal Dry zipper
- Dry zip cover made of Cordura with zip
- Latex neck and wrists with possibility of pre-cutting ring
- Neoprene ring neck protection
- Internal replaceable suspender
- Internal storage pocket
- High density Neoprene of 2.5 mm knees reinforcement coated by abrasion resistant Polyester
- Valve SI-TECH swivel with central button
- Adjustable SI-TECH discharge valve
- REC model pockets right and left
- Neoprene soft boots
- Diving bag
- Inlet hose 90cm
- Neoprene 5mm hood
-
- FLEXY-XP is a dry suit made of a special high density Neoprene of 2.5 mm extremely flexible and lightweight.
- Thanks to this, in combination with the external Polyester abrasion resistant fabric and the covering in Cordura 1100, it is very resistant remaining at the same time lightweight and flexible.
- These features make FLEXY-XP a dry suit suitable for all kinds of diving and seabed.



COMFORTABLE FEELING


FLEXY




UPGRADE AT EXTRA COST

KEVLAR


Kevlar option




Overlay in
Cordura




Neoprene 2,5 mm
Butt and crotch
reinforcement




Knee reinforcement
in Kevlar



Elbow reinforcement
in Neoprene 2,5 mm



Armpit
reinforcement
Neoprene 2,5 mm



Neoprene
neck




Latex neck HD



Hood 5 mm single-
lined HD
Hood 7 mm single-
lined HD



Pocket Tek
Pocket Tek Net
Pocket Side Mount



Pee Valve Si-
Tech



Rookboot Light
or Heavy Duty



Neoprene Boot
5 mm Rigid Sole



Neoprene & Latex
HD Wrist



Interchangeable Wrist
Set Si-Tech
(Antares, QCS, Quick
Cuff, Virgo, Ultima)



Light Gloves or
PVC black/blu



MADE IN ITALY



DTEK srl - Via Lussemburgo, 9 - 37139 Verona, Italia

Tel. +39 045 8521046 - Fax. +39 045 5112542

info@dtekgroup.net - www.dtekgroup.net